

K2[®]
IMPEX

MUMBAI • NEW DELHI

GALGO[®]
FLOOR DECOR SOLUTIONS



AQUA WATER PROOF SERIES

THICKNESS 8.0mm with wax coated lock



7001

AQUA WATER PROOF SERIES



Beauty that withstands water: Introducing our waterproof wooden flooring."

8mm Laminate Wooden Flooring
2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7002

AQUA WATER PROOF SERIES



"Style meets durability:
Discover our waterproof
wood flooring collection."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7003

AQUA WATER PROOF SERIES



"Style meets durability:
Discover our waterproof
wood flooring collection."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7004

AQUA WATER PROOF SERIES



"Style meets durability:
Discover our waterproof
wood flooring collection."

8mm Laminate Wooden Flooring
2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7005

AQUA WATER PROOF SERIES



"Wooden flooring that defies water: Experience the ultimate peace of mind."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7006

AQUA WATER PROOF SERIES



"Wooden flooring that defies water: Experience the ultimate peace of mind."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7007

AQUA WATER PROOF SERIES



"Wooden flooring that defies water: Experience the ultimate peace of mind."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7008

AQUA WATER PROOF SERIES



"Wooden flooring that defies water: Experience the ultimate peace of mind."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7009

AQUA WATER PROOF SERIES



"Wooden flooring that defies water: Experience the ultimate peace of mind."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"



7010

AQUA WATER PROOF SERIES



"Immerse yourself in beauty: Waterproof wooden flooring for every room."

8mm Laminate Wooden Flooring

2 0.77 Sqft Per Box-8 Plank Per Box | Plank size :- 48"x8"

Product Info

Water Proof: The primary advantage of waterproof laminate flooring is its resistance to water damage. It is designed to withstand moisture and spills without warping or swelling. This makes it suitable for areas prone to moisture. Water Proof tested for up to 72 hours. Black HDF Core used as base core material which is highly resistant to moisture then regular MDF board and makes the Flooring more Water Proof.

Durability: Waterproof laminate flooring is highly durable and can withstand heavy foot traffic, making it suitable for both residential and commercial applications. It is typically more resistant to scratches, stains, and wear compared to regular laminate flooring. Can be used for Commercial and residential purpose. With light to medium traffic

Easy maintenance: Waterproof laminate flooring is relatively easy to clean and maintain. Spills and stains can be wiped off with a damp cloth or mild cleaning solution. Regular sweeping or vacuuming helps keep the floor free from dirt and debris.

Versatile design options: Just like traditional laminate flooring, waterproof laminate comes in a wide range of colors which enhances the look of your floor. Cost-effective: Waterproof laminate flooring is typically more affordable than other waterproof flooring options like ceramic tiles. It offers a cost-effective alternative for homeowners or businesses looking for water-proof flooring without breaking the bank.

Precautions: However, it's important to note that while waterproof laminate flooring is highly resistant to water, it is not completely impervious. Excessive exposure to water or prolonged submersion can still cause damage. It's crucial to follow proper installation and maintenance guidelines to maximize the life span of your waterproof laminate flooring.



Water Proof Laminate Flooring Construction

• **Ac4 Wear Layer**

Coated in thin lacquer of aluminum oxide which provides a Scratch - resistant and Water Proof surface.

• **HD Decor Pattern Layer**

Advanced printing and embossing technology enables a real timber feel & finish.

• **High - Density Water - Proof Ultra-Core**

Up to 1000 kg/m³ Super Ultra core, only < 5% thickness swelling after 24 hours in water!

• **Watertight Click Lock System**

The paraffin covering the entire profile protects your floor against humidity.















• **Durable Balance Layer**

Black backing layer that serves to protect the core board and acts as light insulation.



**Although this product is waterproof but it is not an exterior grade product also not to be used in areas which are in constant contact with water or moisture eg. bathroom or exterior deck area.

Classification

	Level of use 22 Heavy residential use	EN 13329	Kitchen, Bed Room, Living Rooms, Home Offices, etc.
	Level of use 32 Light commercial use	EN 13329	Offices, Kids play room, Changing room, low traffic areas, etc.
	Abrasion resistance	EN 13329	AC4 Calss32
	Impact resistance	EN 13329	IC2
	Reaction to fire	DIN 4102 T 1 EN 13501-1	B1 Ctt s1
	Dyanamic coefficient of friction	EN 13893 EN 14041	0.3 m ² DS
	Anti Static characteristics	EN 13893 EN 14041	Laboratory test is fulfilled
	Resistance to staining	EN438-2	Materials of group1+2 ³ grade5 Materials of group3: ³ grade4
	Resistance to cigarette burns	EN438-2	Slight change of the surface's grande 4
	Light fastness	EN ISO 105-B02 EN 20105-A02	Blue wool scale : ³ 6 Grey scale : ³ 4
	Static indentation	EN 433	No visible change,i.e.F 0,01mm indentation using a straightsteel cylinder,AE=11,30mm
	Effect of a furniture leg	EN 424	No change in appearance or damage, as defined inEN425. Single-wheel castors,as defined in EN12529:1998,5.4.4.2(Type W) shall be used.
	Effect of a castor chair	EN 425	No change in appearance or damage, as defined in EN 425. Singal-wheel castors,as definde in EN12529:1998,5.4.4.2(Type W) shall be used.
	Formaldehyde emission	DIN EN 14041	E1 E0

AQUA WATER PROOF SERIES

www.k2impex.in | marketing@k2impex.in